ELSEVIER

Analytica Chimica Acta 421 (2000) 231–232

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Amao, Y.
—, Miyashita, T. and Okura, I.
Optical oxygen detection based on luminescence change of metalloporphyrins immobilized in poly(isobutylmethacrylate-co-trifluoroethylmethacrylate) film 167
Arakawa, H., see Ito, K. 113
Auger, J., see McSheehy, S. 147

Bakker, E., see Qin, Y. 207
Barna, B., see Székács, A. 135
Barnett, N.W.
—, Hindson, B.J., Lewis, S.W., Purcell, S.D. and Jones, P.
Preparation and preliminary evaluation of anhydrous tris(2,2′-bipyridyl)ruthenium(III) perchlorate as a temporally stable reagent for analytical chemiluminescence 1
Barták, P.
—, Pěchová, D., Tarkowski, P., Bednář, P., Kotouček, M., Stránský, Z. and Vespalec, R.
Determination of the first dissociation constant of 6-benzylaminopurine. A comparison of methods 221
Becker, T.M.
— and Schmidt, H.-L.
New ways of enzymatic two-substrate determinations in flow injection systems 7
Bednář, P., see Barták, P. 221
Bélai, I., see Hegedűs, G. 121
Bin, H., see Tianyou, P. 75
Brzózka, Z., see Malinowska, E. 93

Cerdà, V., see Cladera, A. 155
Chung, H.-H., see Zen, J.-M. 189
Cladera, A.
—, Miró, M., Estela, J.M. and Cerdà, V.
Multicomponent sequential injection analysis determination of nitro-phenols in waters by on-line liquid-liquid extraction and preconcentration 155
Conde, P.C.F.L., see Soares, H.M.V.M. 103

de la Guardia, M., see He, Y. 57

Estela, J.M., see Cladera, A. 155
Esteve-Romero, J., see Gil-Agustí, M. 45

García-Alvarez-Coque, Mª.C., see Gil-Agustí, M. 45
Gawart, L., see Malinowska, E. 93
Gil-Agustí, M.
—, García-Alvarez-Coque, Mª.C. and Esteve-Romero, J.
Correlation between hydrophobicity and retention data of several antihistamines in reversed-phase liquid chromatography with aqueous-organic and micellar-organic mobile phases 45
Guan, Y., see Li, G. 27

Hao, A., see Li, G. 27
He, Y.
—, Luisa Cervera, M., Isabel Garrido-Ecija, M. and de la Guardia, M.
On-line bidirectional electrostacking of chromium(III) and chromium(VI) for flame atomic absorption spectrometry determination 57
Hegedűs, G.
—, Bélai, I. and Székács, A.
Development of an enzyme-linked immunosorbent assay (ELISA) for the herbicide trifluralin 121
Hegedűs, G., see Székács, A. 135
Hindson, B.J., see Barnett, N.W. 1

Isabel Garrido-Ecija, M., see He, Y. 57
Ito, K.
—, Nishimura, K., Murakami, S., Arakawa, H. and Maeda, M.
Novel bioluminescent assay of pyruvate phosphate dikinase using firefly luciferase–luciferin reaction and its application to bioluminescent enzyme immunoassay 113

Jarosz, M., see Oszwałdowski, S. 35
Jiang, G.-b.
—, Liu, J.-y. and Yang, K.-w.
Speciation analysis of butyltin compounds in Chinese seawater by capillary gas chromatography with flame photometric detection using in-situ hydride derivatization followed by headspace solid-phase microextraction 67
John, R., see Zhang, S. 175
Jones, P., see Barnett, N.W. 1

Kotouček, M., see Barták, P. 221
Krause, C., see Werner, T. 199
Kumar, A.S., see Zen, J.-M. 189
Kürner, J.M., see Werner, T. 199

Lewis, S.W., see Barnett, N.W. 1

PII: S0003-2670(00)01147-8

Li, G.
—, Lin, X., Zhu, C., Hao, A. and Guan, Y.
New derivative of β-cyclodextrin as chiral selectors for the capillary electrophoretic separation of chiral drugs 27
Lin, X., see Li, G. 27
Lipka, R., see Oszwałdowski, S. 35
Liu, J.-y., see Jiang, G.-b. 67
Łobiński, R., see McSheehy, S. 147
Luisa Cervera, M., see He, Y. 57

Maeda, M., see Ito, K. 113
Malinowska, E.
—, Gawart, L., Parzuchowski, P., Rokicki, G. and Brzózka, Z.
Novel approach of immobilization of calix[4]arene type ionophore in 'self-plasticized' polymeric membrane 93
McSheehy, S.
—, Yang, W., Pannier, F., Szpunar, J., Łobiński, R., Auger, J. and Potin-Gautier, M.
Speciation analysis of selenium in garlic by two-dimensional high-performance liquid chromatography with parallel inductively coupled plasma mass spectrometric and electrospray tandem mass spectrometric detection 147
Mi, Y., see Qin, Y. 207
Miró, M., see Cladera, A. 155
Miyashita, T., see Amao, Y. 167
Mulaudzi, L.V., see van Staden, J.F. 19
Murakami, S., see Ito, K. 113

Nishimura, K., see Ito, K. 113

Okada, T., see Sun, L.-X. 83
Okura, I., see Amao, Y. 167
Oszwałdowski, S.
—, Lipka, R. and Jarosz, M.
Sensitive reversed-phase liquid chromatographic determination of hydrogen peroxide and glucose based on ternary vanadium(V)-hydrogen peroxide-2-(5-bromo-2-pyridylazo)-5-diethylaminophenol system 35

Pannier, F., see McSheehy, S. 147
Parzuchowski, P., see Malinowska, E. 93
Pěchová, D., see Barták, P. 221
Pingwu, D., see Tianyou, P. 75
Pogány, M., see Székács, A. 135
Potin-Gautier, M., see McSheehy, S. 147
Purcell, S.D., see Barnett, N.W. 1

Qin, Y.
—, Mi, Y. and Bakker, E.
Determination of complex formation constants of 18 neutral alkali and alkaline earth metal ionophores in poly(vinyl chloride) sensing membranes plasticized with bis(2-ethylhexyl)sebacate and *o*-nitrophenyloctylether 207

Rokicki, G., see Malinowska, E. 93

Schmidt, H.-L., see Becker, T.M. 7
Soares, H.M.V.M.
— and Conde, P.C.F.L.
Electrochemical investigations of the effect of *N*-substituted aminosulfonic acids with a piperazinic ring pH buffers on heavy metal processes which may have implications on speciation studies 103
Stránský, Z., see Barták, P. 221
Sun, L.-X.
— and Okada, T.
Simultaneous determination of the concentration of methanol and relative humidity based on a single Nafion(Ag)-coated quartz crystal microbalance 83
Székács, A.
—, Hegedűs, G., Tóbiás, I., Pogány, M. and Barna, B.
Immunoassays for plant cytokinins as tools for the assessment of environmental stress and disease resistance 135
Székács, A., see Hegedűs, G. 121
Szpunar, J., see McSheehy, S. 147

Tarkowski, P., see Barták, P. 221
Tianyou, P.
—, Pingwu, D., Bin, H. and Zucheng, J.
Direct analysis of titanium dioxide solid powder by fluorination assisted electrothermal vaporization inductively coupled plasma atomic emission spectrometry 75
Tóbiás, I., see Székács, A. 135

van Staden, J.F.
— and Mulaudzi, L.V.
Flow injection spectrophotometric assay of α-amylase activity 19
Vespalec, R., see Barták, P. 221

Werner, T.
—, Kürner, J.M., Krause, C. and Wolfbeis, O.S.
New longwave absorbing chromogenic calix[4]arene for calcium determination in aqueous environment 199
Wolfbeis, O.S., see Werner, T. 199

Yang, K.-w., see Jiang, G.-b. 67
Yang, W., see McSheehy, S. 147
Zen, J.-M.
—, Chung, H.-H. and Kumar, A.S.
Determination of lead(II) on a copper/mercury-plated screen-printed electrode 189

Zhang, S.
—, Zhao, H. and John, R.
Development of a generic microelectrode array biosensing system 175
Zhao, H., see Zhang, S. 175
Zhu, C., see Li, G. 27
Zucheng, J., see Tianyou, P. 75